

ZPMV2.E475110 - Wiring, Printed - Component

Wiring, Printed - Component

[See General Information for Wiring, Printed - Component](#)

MULTITECH ELECTRON HK LTD

RM 2207, 22ND FL
RICKY CENTRE
36 CHONG YIP STREET
KWUN TONG, HONG KONG

E475110

Type	Cond Width		Cond Thk mic(mil)	SS/ DS/ DSO	Max	Solder Limits C sec	Max	Meets UL796 DSR	C T I		
	Min mm(in)	Min Edge mm(in)			Area Diam mm(in)		Oper Temp C			Flame Class	
Mass laminated (multilayered) printed wiring boards.											
YF-4	0.06 (0.002)	0.18 (0.007)	17 (0.67)	DS	50.8 (2.0)	280	20	130	V-0	All	3
Multilayer printed wiring boards.											
YF-7	0.075 (0.003)	0.18 (0.007)	17 (0.67) Int:68	DS	50.8 (2.0)	280	20	130	V-0	All	*
YF-M	0.06 (0.002)	0.18 (0.007)	17 (0.67) Int:68	DS	50.8 (2.0)	280	20	130	V-0	All	3
Single Layer Metal Base Printed Wiring Board.											
YF-5	0.13 (0.005)	0.20 (0.008)	34 (1.34)	SS	50.8 (2.0)	288	10	125	V-0	-	2
Single Layer Metal Base Printed Wiring Board, flammability only Recognition.											
YF-6	-	-	-	SS	-	288	10	-	V-0	-	-
Single layer printed wiring boards.											
YF-1	0.1 (0.004)	0.1 (0.004)	17 (0.67)	DS	50.8 (2.0)	288	20	130	V-0	All	3

YF-2	0.06 (0.002)	0.18 (0.007)	17 (0.67)	DS	50.8 (2.0)	280	20	130	V-0	All	3
YF-3	0.075 (0.003)	0.18 (0.007)	17 (0.67)	DS	50.8 (2.0)	280	20	130	V-0	All	*

* - CTI marking is optional and may be marked on the printed wiring board.

Marking: Company name or file number and type designation. May be followed by a suffix to denote factory identification or burning test classification.

Last Updated on 2020-09-29

The appearance of a company's name or product in this database does not in itself assure that products so identified have been manufactured under UL's Follow-Up Service. Only those products bearing the UL Mark should be considered to be Certified and covered under UL's Follow-Up Service. Always look for the Mark on the product.

UL permits the reproduction of the material contained in the Online Certification Directory subject to the following conditions: 1. The Guide Information, Assemblies, Constructions, Designs, Systems, and/or Certifications (files) must be presented in their entirety and in a non-misleading manner, without any manipulation of the data (or drawings). 2. The statement "Reprinted from the Online Certifications Directory with permission from UL" must appear adjacent to the extracted material. In addition, the reprinted material must include a copyright notice in the following format: "© 2021 UL LLC"