

Certificate No: CC 258

*This is to certify that the Quality Management System of*

**香港寶捷電子有限公司**

**Prodigy Electronics Limited**

香港九龍觀塘巧明街 95 號世達中心七樓 F 座

Flat F, 7/F, World Tech Centre, 95 How Ming Street, Kwun Tong, Kowloon, Hong Kong

*complies with the requirements of* **ISO 9001:2015** *quality management system standard*




*Applicable to:*

**設計及供應電子板的電子產品**

**Design and supply of PCB based electronic products**

Signed for and on behalf of

**HONG KONG CERTIFICATION SERVICES INTERNATIONAL LIMITED**

  
Secretary



**Council Member**



In accordance with the Hong Kong Certification Services International Limited (HKCSI) Regulations, the HKCSI undertakes no liability or responsibility for any service supplied in accordance with the requirements of this Certification Scheme. The accreditation mark indicates HKCAS accreditation in respect of those activities of HKCSI covered under registration number 017. This certificate remains the property of HKCSI and shall be returned when required by HKCSI.

Registered address: Room 1605, 16/F Austin Tower, 22-26 Austin Avenue, Tsim Sha Tsui, Kowloon, Hong Kong.  
Tel: (852) 2377 9547 Fax: (852) 2377 4840 Email: rklcheung@gmail.com

Issue Date 30 November 2023

Expiry Date 04 December 2026

Certificate No: CC 258

This is to certify that the Quality Management System of

**香港寶捷電子有限公司**

**Prodigy Electronics Limited**

香港九龍觀塘巧明街 95 號世達中心七樓 F 座  
Flat F, 7/F, World Tech Centre, 95 How Ming Street, Kwun Tong, Kowloon, Hong Kong

complies with the requirements of **ISO 9001:2015** quality management system standard





Applicable to:

**設計及供應電子板的電子產品**  
**Design and supply of PCB based electronic products**

Signed for and on behalf of

**HONG KONG CERTIFICATION SERVICES INTERNATIONAL LIMITED**

  
Secretary



**Council Member**



In accordance with the Hong Kong Certification Services International Limited (HKCSI) Regulations, the HKCSI undertakes no liability or responsibility for any service supplied in accordance with the requirements of this Certification Scheme. The accreditation mark indicates HKCAS accreditation in respect of those activities of HKCSI covered under registration number 017. This certificate remains the property of HKCSI and shall be returned when required by HKCSI.

Registered address: Room 1605, 16/F Austin Tower, 22-26 Austin Avenue, Tsim Sha Tsui, Kowloon, Hong Kong.  
Tel: (852) 2377 9547 Fax: (852) 2377 4840 Email: rklcheung@gmail.com

Issue Date 30 November 2023

Expiry Date 04 December 2026

# ZPMV2.E511134 - WIRING, PRINTED - COMPONENT

## Wiring, Printed - Component

See General Information for Wiring, Printed - Component

**PRODIGY ELECTRONICS LTD**  
 FLAT F, 7TH FL, WORLD TECH CENTER  
 95 HOW MING ST  
 KWUN TONG  
 KOWLOON, HONG KONG

E511134

Type	Cond Width		Cond Thk	SS/ DS/ DSO	Max	Max		Meets C	C		
	Min	Min			Area	Solder	Oper			Flame	
	mm(in)	mm(in)	mic(mil)		Diam	Limits	Temp	Class	UL796	T	
		Edge			mm(in)	C	sec	C	DSR	I	
<b>Multilayer printed wiring boards.</b>											
<b>PE1-201</b>	0.09 (0.004)	0.17 (0.007)	17 (0.67) Int:34	DS	25.4 (1.0)	260	20	130	V-0	All	*
<b>PE1-202</b>	0.1 (0.004)	0.2 (0.008)	17 (0.67) Int:204	DS	76.2 (3.0)	288	20	125	V-0	All	*
<b>PE1-203</b>	0.18 (0.007)	0.18 (0.007)	34 (1.34) Int:136	DS	50.8 (2.0)	288	20	130	V-0	All	*
<b>PE1-204</b>	0.08 (0.003)	0.24 (0.009)	12 (0.47) Int:204	DS	76.2 (3.0)	288	20	130	V-0	All	*
<b>PE1-205</b>	0.08 (0.003)	0.08 (0.003)	12 (0.47) Int:68	DS	76.2 (3.0)	288	20	130	V-0	All	*
<b>PE1-206</b>	0.08 (0.003)	0.24 (0.009)	12 (0.47) Int:204	DS	76.2 (3.0)	288	20	130	V-0	All	*
<b>PE1-207</b>	0.075 (0.003)	0.075 (0.003)	12 (0.47) Int:204	DS	76.2 (3.0)	288	20	130	V-0	All	*
<b>PE1-208</b>	0.1 (0.004)	0.1 (0.004)	12 (0.47) Int:68	DS	76.2 (3.0)	288	20	130	V-0	All	*
<b>PE1-209</b>	0.08 (0.003)	0.08 (0.003)	12 (0.47) Int:68	DS	76.2 (3.0)	288	20	130	V-0	All	*
<b>PE1-210</b>	0.08 (0.003)	0.08 (0.003)	12 (0.47) Int:204	DS	76.2 (3.0)	288	20	130	V-0	All	*

<b>PE1-211</b>	0.08 (0.003)	0.08 (0.003)	12 (0.47) Int:70	DS	76.2 (3.0)	288	20	130	V-0	All	*
<b>PE1-212</b>	0.08 (0.003)	0.08 (0.003)	12 (0.47) Int:68	DS	76.2 (3.0)	288	20	130	V-0	All	*
<b>PE1-2G1</b>	0.18 (0.007)	0.18 (0.007)	17 (0.67) Int:68	DS	76.2 (3.0)	288	10	115	V-0	All	*
<b>PE1-2G2</b>	0.127 (0.005)	0.15 (0.006)	17 (0.67) Int:68	DS	76.2 (3.0)	288	10	115	V-0	All	*
<b>Single layer printed wiring boards.</b>											
<b>PE1-101</b>	0.09 (0.004)	0.17 (0.007)	17 (0.67)	DS	25.4 (1.0)	260	20	130	V-0	All	*
<b>PE1-102</b>	0.09 (0.004)	0.17 (0.007)	17 (0.67)	DS	25.4 (1.0)	260	20	130	V-0	All	*
<b>PE1-103</b>	0.08 (0.003)	0.24 (0.009)	12 (0.47)	DS	76.2 (3.0)	288	20	130	V-0	All	*
<b>PE1-104</b>	0.08 (0.003)	0.08 (0.003)	12 (0.47)	DS	76.2 (3.0)	288	20	130	V-0	All	*
<b>PE1-105</b>	0.08 (0.003)	0.08 (0.003)	12 (0.47)	DS	76.2 (3.0)	288	20	130	V-0	All	*
<b>PE1-106</b>	0.08 (0.003)	0.24 (0.009)	12 (0.47)	DS	76.2 (3.0)	288	20	150	V-0	All	*
<b>PE1-1G1</b>	0.127 (0.005)	0.15 (0.006)	17 (0.67)	DS	76.2 (3.0)	288	10	115	V-0	All	*
<b>PE1-1S1</b>	0.09 (0.004)	0.13 (0.005)	34 (1.34)	SS	25.4 (1.0)	260	10	130	V-0	All	*
<b>PE1-1S2</b>	0.15 (0.006)	0.15 (0.006)	34 (1.34)	SS	25.4 (1.0)	260	5	130	V-0	All	*
<b>PE1-1S3</b>	0.17 (0.007)	0.17 (0.007)	-	SS	25.4 (1.0)	260	10	130	V-0	All	-

\* - CTI marking is optional and may be marked on the printed wiring board.

Marking: Company name or file number and type designation. May be followed by a suffix to denote factory identification or burning test classification.

Last Updated on 2019-11-04

The appearance of a company's name or product in this database does not in itself assure that products so identified have been manufactured under UL's Follow-Up Service. Only those products bearing the UL Mark should be considered to be Certified and covered under UL's Follow-Up Service. Always look for the Mark on the product.

UL permits the reproduction of the material contained in the Online Certification Directory subject to the following conditions:

1. The Guide Information, Assemblies, Constructions, Designs, Systems, and/or Certifications (files) must be presented in their entirety and in a non-misleading manner, without any manipulation of the data (or drawings).
2. The statement "Reprinted from the Online Certifications Directory with permission from UL" must appear adjacent to the extracted material. In addition, the reprinted material must include a copyright notice in the following format: "© 2019 UL LLC"



# ZPK2.E511135 - WIRING, PRINTED - FLEXIBLE MATERIAL CONSTRUCTIONS - COMPONENT

## Wiring, Printed - Flexible Material Constructions - Component

See General Information for Wiring, Printed - Flexible Material Constructions - Component

**PRODIGY ELECTRONICS LTD**  
 FLAT F. 7TH FL, WORLD TECH CENTER  
 95 HOW MING ST  
 KWUN TONG  
 KOWLOON, HONG KONG

E511135

Type	Cond Width		Cond Thk	SS/DSO	Max	Max		Meets C	UL796F T		
	Min	Edge			Area	Solder Limits	Oper Temp			Flame Class	
	mm(in)	mm(in)	mic(mil)		mm(in)	C	sec	C	Class	DSR	I
<b>Single layer flexible materials interconnect constructions (Flex-to-Install Application).</b>											
<b>PE2-301</b>	0.145 (0.006)	0.435 (0.017)	12 (0.47)	DS	25.4 (1.0)	280	10	105	V-0	-	-

Marking: Company name or tradename "PRODIGY" or file number and type designation. May be followed by a suffix to denote factory identification or burning test classification.

Last Updated on 2019-11-01

The appearance of a company's name or product in this database does not in itself assure that products so identified have been manufactured under UL's Follow-Up Service. Only those products bearing the UL Mark should be considered to be Certified and covered under UL's Follow-Up Service. Always look for the Mark on the product.

UL permits the reproduction of the material contained in the Online Certification Directory subject to the following conditions: 1. The Guide Information, Assemblies, Constructions, Designs, Systems, and/or Certifications (files) must be presented in their entirety and in a non-misleading manner, without any manipulation of the data (or drawings). 2. The statement "Reprinted from the Online Certifications Directory with permission from UL" must appear adjacent to the extracted material. In addition, the reprinted material must include a copyright notice in the following format: "© 2019 UL LLC"